



GREEN POWER GP50S-P-N SUPER SOUNDPROOF

Product price:

10.939,00 € tax excluded

Product description:

The GREEN POWER 1500 rpm generators are designed for versatile use, from construction sites to industry, from agriculture to civil protection.

Robust welded steel frames with built-in tank of variable capacity produced by Green Power, engines and alternators supplied by the most important manufacturers in the sector and cutting-edge control units are the elements to ensure generators of excellent quality.

The hoods are made of steel, which allows them to be used in tropical environments. The Green Power covers guarantee maximum accessibility for maintenance and cleaning operations.

Green Power's strong point is the design and implementation within the company, a feature that helps to reduce the time to market of the product and allows any customization.

There is a choice of versions:

- Super-silenced group with AVR-Leroy alternator (automatic control unit)
- Super-silenced group with AVR-Mecc alte alternator (automatic control unit)
- Super-silenced group with AVR-Stamford alternator (automatic control unit)

The image is purely indicative.

Product features:

Phase: Three phase

Maximum power three phase (KW): 40

Continuous power three phase (KW): 36

Maximum power three phase (KVA): 50

Continuous power three phase (KVA): 45

Fuel: Diesel





Frequency (Hz): 50
Voltage (V): 230 / 400
Engine: PERKINS 1103A-33TG1, aspirazione sovralimentata
Emissions Regulations: NON EMISSIONATO
Engine rpm (rpm): 1500
Speed governor: Mechanical
Starting system: Elettrico
Engine capacity (cm³): 3300
Number cylinders: 3
Cylinders' position: In line
Cooling: Water
Alternator: MECC ALTE ECP32-1M/4
Poles: 4
Protection degree: IP23
Fuel tank capacity (L): 100
Consumption (L/h): 8.2 al 75% del carico
Running time (h): 8.5 at 75% of the load
Acoustic pressure: 60 dB(A)
Length (mm): 2100
Width (mm): 870
Height (mm): 1165
Dry weight (Kg): 1020
Silenced: Yes
Super silenced: Yes
ATS Switch device : Optional
Voltage regulator: AVR

