



CGM C5000E SINGLE PHASE GENERATOR 5KVA

Product price:

1.597,50 € tax excluded

Product description:

CGM C5000E Singlephase Generator 5 KVA

The Generator Singlephase CGM C5000E is equipped with a Honda engine powered by gasoline STAGE V at 3000 rpm, capable of delivering a power of 5KVA

The CGM C5000E Generator is compact and easy to use, mounted on a fixed base with rubber vibration dampers, composed of an alternator Made in Italy by Linz or NSM, self-excited without brushes and with voltage regulator **AVR**.

The CGM C5000E features electric start and low fuel consumption, in fact, it consumes only 1.6 liter/hour at 75% load.

The CGM C5000E generator is part of the CLASSIC series and is easily adaptable to a variety of uses such as homes, mobile facilities, camping, hobbies, construction sites, etc.

Technical features of the CGM C5000E generator:

Phase type: Single phase

Maximum power: 4.95 KW

Continuous use power: 4.5 KW

Maximum power: 5. 5 KVA

Continuous use power: 5 KVA

Fuel: Gasoline

Voltage: 230 V

Frequency: 50 Hz

Motor: HONDA GX270

Motor RPM: 3000 RPM

Start: Electric

Voltage regulator system: AVR

Consumption: 1. 6 Lt/h at 75% load





Tank capacity: 5.3 Lt
Run time: 3.3 h at 75% load
Length: 780 mm
Width: 510 mm
Height: 500 mm
Weight: 80 Kg

Discover the full range reserved for current generators of CGM or other top brands by browsing our catalog to find the one that best suits your needs.

Images and technical data are not binding and may be subject to revisions by the manufacturer.

Product features:

Phase: Single phase
Maximum power single phase (KW): 4.95
Continuous power single phase (KW): 4.5
Maximum power single phase (KVA): 5.5
Continuous power single phase (KVA): 5
Fuel: Gasoline
Frequency (Hz): 50
Voltage (V): 230
Sockets configuration: 1 x 230V 16A 3P CEE - 1 x 230V SCHUKO
Engine: Honda GX270
Emissions Regulations: Stage 5
Engine rpm (rpm): 3000
Starting system: Electric
Engine capacity (cm³): 270
Number cylinders: 1
Alternator: Made in Italy
Poles: 2
Fuel tank capacity (L): 5.3
Consumption (L/h): 1.6
Running time (h): 3.3
Length (mm): 780
Width (mm): 510
Height (mm): 500
Dry weight (Kg): 80
Silenced: No
Super silenced: No



Product type: Generator
ATS Switch device : Optional
Voltage regulator: AVR
Engine manufacturer: Honda