



VTE PAGURO 5.5SY

Product price:

7.008,00 € tax excluded

Product description:

PAGURO MARINE GENERATOR VTE 5,5SY

PAGURO MARINE GENERATOR VTE 5.5SY single-phase 5 KVA marine generator set, with Yanmar diesel-powered 3000 rpm engine; engine cooling system with stainless steel water/air cooler and air alternator cooling.

All parts in contact with seawater are made of 316 L stainless steel.

Thanks to the water cooling and the double anti-vibration system, vibrations are reduced to a minimum, making the Paguro VTE 5.5SY Marine Generator supersilenced and among the marine generators with the lowest noise emissions in its category.

The compact and space-saving VTE PAGURO 5,5SY Generator is suitable for use on small boats, the VTE PAGURO 5,5SY is ready to give you all the power you need in peace.

Engine

The Yanmar diesel-powered engine makes the PAGURO VTE Generator efficient and reliable.

The PAGURO VTE Generator is designed with a stainless steel water/air heat exchanger.

Alternator

The VTE PAGURO Marine Generator's alternator is a permanent magnet (PMG) with class H insulation and is small in size and light in weight. The control electronics create a clean waveform, making it excellent for powering sensitive electronic devices that fear voltage and current surges.

It is also air-cooled.

Included with the alternator is the battery charger for the dedicated 12 V / 8 A starter battery.

Soundproofing capsule and double anti-vibration system

The reinforced fibreglass capsule with composite layering and the high-density soundproofing material coating make this genset one of the quietest compared to its competitors.

The capsule allows installation even in cramped spaces, thanks to its composition: two upper parts and one lower part.

Lastly, the dual anti-vibration system, internal with 4 soft mounts and external with 4 semi-elastic mounts, makes the PAGURO marine genset stable even in less calm waters and silenced, so you





can enjoy your navigation without further worries.

PAGURO Marine Generator VTE

Phase type: Single-phase
Single-phase continuous use power: 5 KVA
Single-phase continuous use power: 4.5 KW
Frequency: 50 HZ
Voltage: 230 V
Fuel: Diesel
Engine speed: 3000 rpm
Engine: Yanmar L100
Starter: Electric
Length: 660 mm
Width: 470 mm
Height: 570 mm
Dry weight: 110 Kg
Supersilenced

If you are looking for another marine genset or another marine product besides the PAGURO, you can consult our [Link HERE](#).

Non-binding images and technical data.

Product features:

Phase: Single phase
Continuous power single phase (KW): 4.5
Continuous power single phase (KVA): 5
Fuel: Diesel
Frequency (Hz): 50
Voltage (V): 230
Engine: Yanmar L100
Engine rpm (rpm): 3000
Starting system: Elettrico
Number cylinders: 1
Cooling: Heat exchanger air/water
Alternator: Synchronous, brushless
Consumption (L/h): 0.35
Acoustic pressure: 53 dB(A)
Length (mm): 660
Width (mm): 470
Height (mm): 570



Dry weight (Kg): 110

Silenced: Yes

Super silenced: Yes

Product type: Generator

Engine manufacturer: Yanmar