



MASE VS 8.6 DV MARINE GENERATOR DUAL VOLTAGE 8KW

Product price:

22.350,00 € tax excluded

Product description:

MASE VS8,6 DV SINGLE-PHASE MARINE GENERATOR 8KW

Generator marine DUAL VOLTAGE MASE VS8,6 DV equipped with a Kubota Z602 engine with Diesel power supply and variable speed regulation, capable of delivering a power of 8KW.

The MASE VS8,6 DV marine generator is designed with a soundproof cabin that makes it **supersilenced**. The marine generator is built with Kubota diesel-powered engine and permanent magnet alternator with air/water cooling. With its small size, it is also suitable on small boats.

The MASE VS8,6 CBU control module has a new design, the latest technology, a large display and micro-buttons for quick navigation of menus, start and stop procedures; IP54 protection rating. MASTER CBU 93x93mm (3.66x3.66 in) very compact module, with multiple functions for complete monitoring of the marine generator MASE VS8,6 DV:

The sound-proof cabin of the MASE generator has been realized with painted marine aluminum panels, combining an innovative design with a very high resistance to external agents. Thanks to its structure, a low weight and an excellent accessibility to the internal compartment are guaranteed, making maintenance operations easy, even with installations carried out in narrow spaces.

TECHNICAL FEATURES MARINE GENERATOR MASE VS8,6 DV

Phase Type: Single Phase

Power continuous use: 8 KW

Fuel: Diesel

Voltage: 230 V / 240 V

Frequency: 50/60 Hz

Engine: Kubota Z602





Mechanical Power: 14.5 Hp
Number of cylinders: 2
Displacement: 599 cc
Speed governor: Electric with actuator
Engine revs: 2100 ÷ 3150 rpm
Acoustic power: 54 dBA @ 7 m
Length: 650 mm
Width: 468 mm
Height: 555 mm
Weight: 179 Kg

If you are looking for another generator like the MASE then you can browse the entire catalog of marine generators.

Images and technical data are not binding.

Product features:

Phase: Single phase
Continuous power single phase (KW): 8
Fuel: Diesel
Frequency (Hz): 50 / 60
Voltage (V): 230 / 240
Engine: Kubota Z602
Engine rpm (rpm): 2100 ÷ 3150
Speed governor: Electronic
Engine capacity (cm³): 599
Number cylinders: 2
Oil capacity (L): 2.5
Cooling: Air / water (Intercooler W/A)
Inyección : Indirect
Alternator: Permanent magnets
Bore x stroke (mm): 72 x 73.6
Lubrication: Forced
Acoustic pressure: 54 dB(A) at 7 m
Length (mm): 650
Width (mm): 468
Height (mm): 555
Dry weight (Kg): 179
Silenced: Yes





Super silenced: Yes

Product type: Generator

Voltage regulator: No

Engine manufacturer: Kubota