



HONDA Outboard BF 200D XCDU

Product description:

HONDA OUTBOARD BF200D XCDU EXTRALONG LEG

Honda BF200D XCDU DBW outboard engines are perfect for professional use, they are reliable, compact and lightweight complete with PGM-IG electronic injection system.

Honda BF200D XCDU DBW are optimized to offer more power for a wide range of different boats. The decisive, smooth power this advanced technology offers is sure to put a smile on your face as you venture out on the water.

VTEC™ is an efficient system included in the Honda BF200D XCDU outboard that keeps fuel consumption down while delivering an exciting increase in power. In the Honda BF200D XcDU it works by using two different cams:

- 1) When the engine is running at low rpm, the valves are operated by a cam less aggressively ensuring low fuel consumption and excellent performance.
- 2) As the engine speed increases to 5000 rpm, the VTEC™ system hydraulically operates a cam with a higher lift profile. This keeps the valves open longer, getting more air into the combustion chamber to produce optimum power, just like in a Formula One race car.

Honda BF200D XCDU are large displacement engines, featuring high torque value at all operating speeds, give high acceleration and exceptional top speeds. Honda's exclusive BLAST, PGM-FI, VTEC (for BF225 and BF250) and ECOmo technologies together with the performance of the foot-mounted gearbox ensure smooth power delivery with minimal hydrodynamic resistance.

RIGGING

PROPELLER (CONTROL+CABLES+INSTRUMENTATION+CORRUGATED+HELIX) +

HONDA BF200D XCDU TECHNICAL FEATURES

Net Power (Hp): 200

Displacement: 3583 cm³

Shaft Length: Extra Long





Dry weight (Kg): 287
Starter: Electric
Ignition system: Electronic PGM-IG
Control type: Remote
Setup and engine lifting: Electric
Transom height (mm): 635
Length (mm): 920
Width (mm): 660
Height (mm): 1915
Bore x stroke: 89 x 96 mm
Engine Brand: Honda
Engine Type: OHC V6
Number of cylinders: 6
Speed at full throttle (rpm): 5000-6000
Cooling system: Water
Battery charging capacity (A): 60
Exhaust system: Propeller hub
Propeller Rotation: Counter Rotating

Are you looking for an outboard with different technical specifications? Here you can find the full range of Honda or other specialized brands.

The images are purely indicative.

Product features:

Fuel: Gasoline
Engine: OHC V6
Ignition: Electronic PGM-IG
Starting system: Electric
Engine capacity (cm³): 3583
Number cylinders: 6
Cylinders' position: V to 90°
Cooling: Water (with thermostat)
Bore x stroke (mm): 89 x 96
Rpm at full throttle (rpm): 5000 - 6000
Appearance and engine lifting: Electric
Transom height (mm): 635
Length (mm): 920
Width (mm): 660





Height (mm): 1915
Dry weight (Kg): 287
Shaft Length: X
Controls: Remote