



MASE MARINER 1750 KS SINGLE PHASE SILENCED MARINE GENERATOR 17.5 KW

Product price:

21.950,00 € tax excluded

Product description:

MASE MARINER 1750 KS SILENCED SINGLE-PHASE MARINE GENERATOR 17.5 KW

MASE MARINER1750KS single phase silenced marine generator is equipped with a Kubota V2203 diesel engine capable of delivering a maximum power of 17.5 KW at 1500 rpm.

The MASE MARINER1750KS is built with and synchronous alternator, self-excited with air cooling, is extremely compact and powerful, also suitable on small boats.

The MASE MARINER1750KS allows easy access for maintenance of the fuel and lubrication systems, sea water pump, air filter, oil filter and fuel. It is also equipped with safety systems of auto shutdown for low oil pressure and high engine temperature or exhaust gas.

The alternator of the MASE MARINER1750KS is synchronous with 4 poles, self-regulated, self-excited, brushless, which in coupling with the powerful KUBOTA engine can deliver a maximum power of 17.5 KW. The alternator is complete with AVR voltage regulator that ensures the stability of the voltage delivered by the generator, delivering current like the one at home.

The MASE MARINER1750KS marine generator is equipped with a soundproof cabin that makes it super quiet, with a sound emission of 49 dB(A) at a distance of 7 m. The soundproof cabin in painted aluminum is extremely lightweight and of very high resistance to external agents.

TECHNICAL FEATURES MASE MARINER1750KS

Phase Type: Single Phase

Maximum Power: 17.5 KW

Continuous Use Power: 15.6 KW

Fuel: Diesel





Voltage: 115 - 230 V
Frequency: 50 Hz
Motor: Kubota V2203, 4 Stroke
Mechanical Power: 27.3 Hp
Number of Cylinders: 4
Displacement: 2197 cc
RPM Regulator: Mechanical Centrifugal
Engine RPM: 1500 rpm
Fuel Consumption: 6.1 l/h
Sound pressure: 49 dB(A) @ 7 m
Alternator: Synchronous Brushless
Voltage regulator: AVR
Length: 1135 mm
Width: 631 mm
Height: 694 mm
Weight: 465 Kg

If you are looking for another marine generator then you can browse the entire catalog of marine generators.

Images and technical data are not binding.

Product features:

Phase: Single phase
Maximum power single phase (KW): 17.5
Continuous power single phase (KW): 15.6
Fuel: Diesel
Frequency (Hz): 50
Voltage (V): 115 / 230
Engine: KUBOTA D1703, 4 Tempi
Engine rpm (rpm): 1500
Speed governor: Electronic
Engine capacity (cm³): 2197
Number cylinders: 4
Cooling: Air
Inyección : Indirect
Alternator: Synchronous, self-excited
Poles: 4
Lubrication: Forced
Consumption (L/h): 6.2 at 100% of the load
Acoustic pressure: 49 dB(A) at 7 m
Length (mm): 1135



Width (mm): 631
Height (mm): 694
Dry weight (Kg): 465
Inverter: No
AVR: Yes
Compound: No
Silenced: Yes
Super silenced: Yes
Product type: Generator
Voltage regulator: AVR
Engine manufacturer: Kubota