



MASE MARINER 2700 KS SINGLE PHASE SILENCED MARINE GENERATOR 29 KW

Product price:

32.950,00 € tax excluded

Product description:

MASE MARINER 2700 KS SILENCED SINGLE-PHASE MARINE GENERATOR 29 KW

MASE MARINER2700KS Silenced single phase marine generator is equipped with a KUBOTA V3300 diesel engine capable of delivering a maximum power of 29 KW at 1500 rpm.

The MASE MARINER2700KS is built with and synchronous alternator, self-excited with air cooling, is extremely compact and powerful, suitable even on small boats.

The MASE MARINER2700KS alternator is a 4-pole synchronous, self-regulated, self-excited, brushless alternator, which in combination with the powerful KUBOTA engine can deliver a maximum power of 29 KW. The alternator is complete with AVR voltage regulator that ensures the stability of the voltage delivered by the generator, delivering current like the one at home.

The MASE MARINER2700KS marine generator is equipped with a soundproof cabin that makes it super quiet, with a sound emission of 54 dB(A) at a distance of 7 m. The soundproof cabin in painted aluminum is extremely lightweight and of very high resistance to external agents.

TECHNICAL FEATURES MASE MARINER2700KS

Phase Type: Single Phase

Maximum Power: 29 KW

Fuel: Diesel

Voltage: 115 - 230 V

Frequency: 50 Hz

Motor: KUBOTA V3300, 4 Stroke

Mechanical Power: 38. 8 Hp

Number of Cylinders: 4





Displacement: 3318 cc
Engine RPM: 1500 rpm
Fuel Consumption: 11 l/h
Sound Pressure: 54 dB(A) @ 7 m
Alternator: Synchronous Brushless
Voltage Regulator: AVR
Length: 1310 mm
Width: 640 mm
Height: 830 mm
Weight: 630 Kg

If you are looking for another marine generator then you can browse the entire catalog of marine generators.

Images and technical data are not binding.

Product features:

Phase: Single phase
Maximum power single phase (KW): 29
Fuel: Diesel
Frequency (Hz): 50
Voltage (V): 115 / 230
Engine: Kubota V2403, 4 Tempi
Engine rpm (rpm): 1500
Speed governor: Mechanical
Engine capacity (cm³): 3318
Number cylinders: 4
Cooling: Air
Alternator: Synchronous, self-excited
Poles: 4
Lubrication: Forced
Consumption (L/h): 7.6 at 100% of the load
Acoustic pressure: 54 dB(A) at 7 m
Length (mm): 1310
Width (mm): 640
Height (mm): 830
Dry weight (Kg): 630
Inverter: No
AVR: Yes
Compound: No
Silenced: Yes
Super silenced: Yes



Product type: Generator

Voltage regulator: AVR

Engine manufacturer: Kubota