



GENERATOR 20 KVA LIQUID PROPANE - 17 KVA NATURAL GAS

Product price:

7.130,00 € tax excluded

Product description:

GENERATOR 20KVA LPG 17KVA NATURAL GAS

Generator 20KVA powered by LPG or natural gas, super-silenced with automatic control unit.

Live in peace and quiet thanks to the range of home standby generators fuelled by natural gas and liquid propane, with models covering the 8-13 KVA range.

Check the status of your generator at any time, wherever you are, thanks to the new Mobile Link™ mobile phone monitoring system. Your appliances will continue to run even when you are out.

An automatic home standby generator is the ideal solution to protect your home and the peace of mind of your family from blackouts, which occur with increasing frequency and unpredictable duration, with devastating effects.

With a generator with an automatic Home Standby control unit, as soon as the power goes out, the generator switches on automatically.

The gas-powered generator has an optional heater and a 45A LTS grid-group switchboard. The GA series is available in various models to meet the needs of home and business owners and their energy requirements.

Technical characteristics of the gas generator THREE-PHASE:

Type of phase: Three-phase

Maximum rated power ESP (LPG): 20 KVA

Maximum rated power ESP (LPG): 16 KW

Maximum rated power ESP (Natural Gas): 17 KVA

Maximum rated power ESP (Natural Gas): 13.6 KW

Fuel: Natural Gas or LPG

Frequency: 50 Hz





Voltage: 400 V
Engine: Generac G-FORCE 1000 SERIES
Engine speed: 3000 rpm
Starter: Electric
Displacement: 999 cc
Cylinders: 2 V
Generator cooling: Air
Length: 1232 mm
Width: 648 mm
Height: 733 mm
Weight: 220 Kg
Voltage regulation: AVR
Supersilenced

Free yourself from the need for refuelling

Residential backup generators are connected directly to your power supply. With a GA generator, you no longer have to deal with gas cylinders.

Best-in-class power quality

Thanks to True Power™ technology, this generator set series offers best-in-class power quality, with less than 5% total harmonic distortion to ensure smooth operation of your most sensitive equipment.

Non-binding images and technical data.

Product features:

Phase: Three phase
Maximum power three phase (KW): 16
Maximum power three phase (KVA): 20
Fuel: Natural Gas or LP Gas
Frequency (Hz): 50
Voltage (V): 400
Emissions Regulations: Stationary Use
Engine rpm (rpm): 3000
Speed governor: Electronic
Starting system: Electric
Engine capacity (cm³): 999
Number cylinders: 2
Cylinders' position: V to 90°
Oil capacity (L): 1.8
Cooling: Air
Stand By Power [Liquid Propane] (KVA): 20





Stand By Power [Liquid Propane] (KW): 16

Stand By Power [Natural Gas] (KVA): 17

Stand By Power [Natural Gas] (KW): 13.6

Poles: 2

Compression ratio: 9.5 : 1

