



MOSA GE 35 KSC GENERATOR 33KVA SING LE-PHASE/THREE-PHASE AVR

Product price:

9.676,00 € tax excluded

Product description:

MOSA GE 35 KSC GENERATOR 33KVA SINGLE-PHASE/THREE-PHASE AVR

The MOSA GE 35 KSC single-phase / three-phase generating set is equipped with a diesel-powered KOHLER - KDI 2504TM-30? engine, and is capable of delivering a maximum power of 33 KVA.

The MOSA GE 35 KSC generator set is equipped with **electric, manual or automatic start** with a 12 V battery, and is equipped with a **COMAP AMF 9 NT control unit** which allows to view all the electrical parameters of the engine and generator, functions, status of the generating set, manage the entire group and view, if any, system errors or alarms.

The COMAP AMF 9 NT control unit is one of the most complete versions of generator set controllers. The ability to expand the number of digital inputs and outputs makes it very flexible, suitable for generating sets with many connected elements. The expansion module allows you to add internet, SMS and MODBUS connectivity to the generator set allowing remote control of the machine. The easy-to-use backlit display allows you to view every parameter of the generating set.

Thanks to the AVR voltage regulator included in the supply of the group, the MOSA GE 35 KSC manages to supply "clean" current and voltage with an accuracy of less than one percent, this guarantees the user that he can safely connect any type of electrical and electronic device.

The MOSA GE 35 KSC generator set guarantees efficient and silent operation thanks to the KOHLER - KDI 2504TM-30? engine, which allows to deliver a maximum power of 33KVA.

ATS AUTOMATIC STARTER PANEL (OPTIONAL)





The generator set is designed for use with an ATS automatic starter panel. Thanks to which you will no longer have to worry about blackouts because if the electricity goes off, this panel is able to automatically start the generator and will allow you to continue your business without losing your work data.

TECHNICAL SPECIFICATIONS MOSA GE 35 KSC

Phase type: Single-phase / Three-phase
Single-phase maximum power: 10 KVA / 8 KW
Single-phase continuous power: 11 KVA / 8.8 KW
Three-phase maximum power: 33 KVA / 26.4 KW
Three-phase continuous power: 30 KVA / 24 KW
Fuel: Diesel
Voltage: 230 / 400 V
Frequency: 50 Hz
Motor: KOHLER - KDI 2504TM-30?
Emissions standard: Not Emissions
Number of cylinders: 4
Engine speed: 1500 rpm
Starter: Electric
Voltage regulator: AVR HVR-11
Tank capacity: 55 Lt
Consumption: 5.7 Lt/h at 75% of the load
Autonomy: 9.6 h at 75% of the load
Acoustic pressure: 67 dB(A) @ 7mLength: 1800 mm
Width: 900 mm
Height: 1333 mm
Weight: 847 Kg

Are you looking for a generator set with different technical characteristics? [HERE](#) you can find the area dedicated to MOSA generator sets or other specialized brands.

Images and technical data are not binding. Please always consult the technical data sheet released by the manufacturer. Manel service does not assume responsibility for any changes made by the manufacturer.

Product features:

Phase: Single phase / Three phase
Maximum power single phase (KW): 8.8
Continuous power single phase (KW): 8
Maximum power single phase (KVA): 11
Continuous power single phase (KVA): 10





Maximum power three phase (KW): 26.4
Continuous power three phase (KW): 24
Maximum power three phase (KVA): 33
Continuous power three phase (KVA): 30
Fuel: Diesel
Frequency (Hz): 50
Voltage (V): 230 / 400
Sockets configuration: Morsettiera
Engine: Kohler KDI 2504TM-30
Emissions Regulations: NON EMISSIONATO
Engine rpm (rpm): 1500
Speed governor: Mechanical
Starting system: Elettrico
Engine capacity (cm³): 2482
Number cylinders: 4
Oil capacity (L): 11.2
Cooling: Water
Inyección : Direct
Alternator: Sincrono trifase, autoeccitato, autoregolato, senza spazzole
Bore x stroke (mm): 88 x 102
Fuel tank capacity (L): 50
Consumption (L/h): 5.7 at 75% of the load / 7.5 at 100% of the load
Running time (h): 9.54 at 75% of the load
Acoustic power: 92 dB(A)
Acoustic pressure: 67 dB(A) at 7 m
Length (mm): 1800
Width (mm): 900
Height (mm): 1333
Dry weight (Kg): 847
Product type: Generator
ATS Switch device : Optional
Voltage regulator: AVR
Engine manufacturer: Kohler

