



GENERAC LT V20 Y2 LIGHT TOWER 4x320W G4 LED FAST TROLLEY

Product price:

11.655,00 € tax excluded

Product description:

GENERAC LT V20 Y2 LIGHT TOWER 4x320W G4 LED FAST TROLLEY

GENERAC LT V20 Y2 is the perfect solution for you. a mobile light tower equipped with 4 320W LED projectors that can be lifted up to a height of 8.5 m, capable of illuminating an area of 4500 m2.

The lighthouse tower is located in the center of the city. equipped with a Yanmar 2TNV-70 diesel powered engine, which in combination with the large 100 l tank can guarantee an autonomy of 140 hours of work. The GENERAC LT V20 Y2 has an extremely silent operation, in fact it has a sound emission of only 58 dB(A) at 7m.

Equipped as standard with the GTL01 digital control, specifically designed to manage each tower function to improve ease of operation. of use. To improve safety, the GENERAC LT V20 Y2 supplies its projectors with low voltage 48V.

Thanks to the 230 V socket supplied It is possible to connect one GENERAC LT V20 Y2 to another to use two lighting towers with a single motor, thus saving fuel and money.

Three doors for easy access, two of which are "gull-wing" allow full access to the engine for safe and fast maintenance. A rear door for access to the digital control panel. The special shape of the adjustable stabilizers allows the operator to level the V20 in seconds.

TECHNICAL SPECIFICATIONS GENERAC LT V20 Y2

Power of the lamps: 4 x 320 W

Type of lamp: LED

Total lumens: 188160 Lm

Illuminated area: 4500 m2

Lifting system: Hydraulic





Pole rotation: 340°
Engine: Yanmar 2TNV-70
Engine cooling: Liquid
Cylinders (N): 2
Speed; engine (50/60 Hz): 1500 / 1800 rpm
Liquid collection tank (110%): Yes
Alternator (kVA/V/Hz): 5/220/50 – 5/240/60
Electrical socket (kVA/V/Hz): 2/220/50 – 2/240/60
Power plug (A/V/Hz): 16/220/50 – 16/240/60
Average sound pressure: 58 dB(A) @ 7m
Wind resistance: 110 km/h
Capacity: tank: 100 l
Autonomy: 143 h
Dim. minimum (L x P x H): 2250 x 1400 x 2436 mm
Dim. dimensions (L x P x H): 2640 x 1900 x 8500 mm
Dry weight: 1030 kg

Are you looking for a lighting tower with different technical characteristics? HERE you can find the entire range of GENERAC lighting towers or other specialized brands.

Non-binding images and technical data.

Product features:

Phase: Single phase
Maximum power single phase (KVA): 5
Fuel: Diesel
Voltage (V): 230
Engine: Yanmar 2TNV-70
Emissions Regulations: Not Emitted
Engine rpm (rpm): 1500 / 1800
Number cylinders: 2
Cooling: Coolant Liquid
Type of lamps: LED
Lamps: 4 x 320 W
Illuminated area (m²): 4500
Total lumens (Lm): 188160
Lifting System: Hydraulic lifting system
Maximum height (m): 8.5
Mast rotation: 340°
Open size (mm): 2640 x 1900 x 8500
Closed size (mm): 2250 x 1400 x 2436
With generator / Without generator: With generator





Transportability: Fast Trailer
Stability to wind (Km/h): 110
Fuel tank capacity (L): 100
Running time (h): 143
Acoustic pressure: 58 dB(A) at 7 m
Dry weight (Kg): 980
Engine manufacturer: Yanmar