



WHISPER M-SQ PRO 18 MARINE GENERATOR 18KVA SINGLE-PHASE STAGEV AVR

Product price:

21.058,00 € tax excluded

Product description:

WHISPER M-SQ PRO18 MARINE GENERATOR SINGLE-PHASE 18KVA STAGEV AVR

WHISPER M-SQ PRO18 Single-phase marine generator with Kubota V2203 M BG StageV diesel engine delivering 18KVA power, **complete with AVR voltage regulator**.

The WHISPER M-SQ PRO18 marine generator is designed with a soundproofing cabin that makes it **supersilent**. The excellent accessibility to the internal compartment makes maintenance operations easier, even with the WHISPER M-SQ PRO18 marine generator installed in confined spaces.

Thanks to the electrical stabilizer of AVR technology that works at very low distortion, WHISPER M-SQ PRO18 delivers constant current loads without voltage peaks that could damage electrical and electronic devices. A further advantage of the inverter is that it works with variable motor revolutions, based on the need for the current to be supplied, optimizing fuel consumption, gas emissions and wear of the mechanical parts in the best possible way.

The WHISPER M-SQ PRO18 is also equipped with a liquid cooling system, which ensures quiet and reliable operation, while minimizing noise and vibration levels. Furthermore, the presence of an overload and short-circuit protection system ensures safe and reliable operation.

The robust and durable construction of the WHISPER M-SQ PRO18 marine generator ensures a longer life even in harsh marine environments, while the intelligent control system ensures superior energy efficiency, reducing fuel costs and exhaust emissions.

VOLTAGE REGULATOR

WHISPER M-SQ PRO18 is equipped with AVR which, mounted on an alternator, allows a





generator set or current generator to stabilize the output voltage and does not damage the connected sensitive electronic devices. In the modern market, inverters have made a huge step forward in terms of technology and performance; for this reason the best brands of generator sets and alternators in the world are moving along this line of thought.

An important feature of our SQ Pro range is the 7 inch color touch screen control which will be linked with WhisperCare. This allows complete control of the M-SQ PRO 18 marine generator system. A perfect solution for instantaneous and/or historical information with an attractive display.

STAGEV / EPA TIER 4 EMISSION REGULATIONS

WHISPER M-SQ PRO18 is equipped with a "mobile" STAGEV engine, as required by European Regulation 2016/1628. These new engines make it possible to exponentially reduce the particulate and nitrogen oxide emissions released by the generator into the environment, and guarantee a 200% reduction in environmental impact compared to standard engines.

DeepSea Control Features (Optional)

- Group parallel functionality included (ask for more details)
- Provides secure and easy offsite monitoring (optional)
- Allows you to quickly resolve fault conditions and provide instant system information to aid in preventive maintenance
- Graphic displays showing, graphs, meters, power display, graphs and engine status information
- The information is displayed clearly and in a universal format for all users
- Language of your choice

Technical characteristics WHISPER M-SQ PRO18:

Phase Type: Single Phase

Maximum Power: 18 KVA / 14.5 KW

Continuous Power: 17.5 KVA / 14 KW

Fuel: Diesel

Voltage: 230 V

Frequency: 50 Hz (60 Hz)

Engine: Kubota V2203 M BG

Emissions standard: Stage V

Number of cylinders: 4

Engine speed: 1500 rpm

Acoustic power: 55 dBA

Voltage regulator: AVR

Length: 1220 mm

Depth: 719 mm

Height: 754 mm





Net weight: 495 Kg

Are you looking for a product with different technical characteristics? HERE you can find the area dedicated to WHISPER vehicle generators or other specialized brands.

Non-binding images and technical data.

Product features:

Phase: Single phase

Maximum power single phase (KW): 14.5

Continuous power single phase (KW): 14

Maximum power single phase (KVA): 18

Continuous power single phase (KVA): 17.5

Fuel: Diesel

Frequency (Hz): 50

Voltage (V): 230

Engine: Kubota V2203 M BG

Emissions Regulations: Stage 5

Engine rpm (rpm): 1500

Number cylinders: 4

Cooling: External radiator cooling

Acoustic pressure: 55 dB(A)

Length (mm): 1220

Width (mm): 719

Height (mm): 754

Dry weight (Kg): 495

Silenced: Yes

Super silenced: Yes

Product type: Generator

Voltage regulator: AVR

Engine manufacturer: Kubota