

# HONDA EU32i USED GENERATOR 3,2KVA SINGLE-PHASE INVERTER REMOTE CONTROL STAGEV

**Product price:**

**2.045,00 € tax excluded**

## **Product description:**

HONDA EU32i USED GENERATOR SINGLE-PHASE 3.2KVA INVERTER REMOTE CONTROL STAGEV

The generator USED Honda EU32i single-phase is equipped with a GX130 StageV gasoline engine, capable of delivering a maximum power of 3.2 KVA, super silent thanks to the included inverter.

The HONDA EU32i is compact in size, and thanks to the handle located on top of the machine body, it makes the generator perfect for easy transport and storage during periods of inactivity. All materials used in the manufacturing of the HONDA EU32i units are of first choice, offering and guaranteeing customers a tested and proven product at a truly convenient price.

Thanks to the electric stabilizer of the Inverter technology that operates with very low distortion, the generator delivers constant current loads without voltage spikes that could damage electrical and electronic devices. An additional advantage of the inverter is its ability to work with variable engine speeds, based on the required power output, optimizing fuel consumption, gas emissions, and mechanical wear. An ideal product for use in campsites, campers, and outdoor leisure activities.

The USED HONDA EU32i generator features an ECO-throttle function that automatically adjusts the engine speed based on the load. Thanks to this feature, the unit can provide incredible autonomy under low loads and deliver considerable power when the load becomes demanding.

Thanks to the low acoustic impact achieved by the inverter and the ECO-throttle function, the generator can be used even in environments where particularly loud noises cannot be accepted,



such as historic centers, hospitals, schools, gyms, etc.

The USED HONDA EU32i generator can be connected to a smartphone via Bluetooth through the Honda smartphone application "My Generator," to be used exclusively with Honda generators equipped with Bluetooth technology.

The application is capable of performing the following functions:

- Allows remote engine shutdown
- Remotely change the eco-throttle system
- Displays output power level and remaining fuel level
- Receives error and maintenance alerts

### **EMISSION REGULATION STAGEV**

The generator is equipped with "mobile" STAGEV motorization, as required by European Regulation 2016/1628. These new motors exponentially reduce emissions of particulates and nitrogen oxides emitted by the generator into the environment, ensuring a 200% reduction in environmental impact compared to standard motors.

### **USED MANELSERVICE**

The unit used by Manelservice guarantees that this generator has always received regular maintenance from a team of specialized technicians and is in optimal conditions.

### **Technical Specifications HONDA EU32i**

Phase Type: Single-Phase  
Continuous Power: 2.6 KVA / 2.6 KW  
Maximum Power: 3.2 KVA / 3.2 KW  
Voltage VAC: 230 V  
Frequency (Hz): 50  
Voltage Regulator: INVERTER  
Starting Panel: Manual Recoil  
Engine: GX130 4-stroke  
Emission Regulation: Stage V  
RPM (Revolutions Per Minute): Variable  
Fuel: Gasoline  
Tank Capacity: 4.6 l  
Acoustic Pressure: 91 dB (A)  
Length: 596 mm  
Width: 306 mm  
Height: 452 mm  
Net Weight: 26.5 Kg





Looking for a product with different technical specifications? [HERE](#) you can find the dedicated area for USED generators from specialized brands.

Images and technical data are not binding and may be subject to revisions.

**Product features:**

Phase: Single phase

Maximum power single phase (KW): 3.2

Continuous power single phase (KW): 2.6

Maximum power single phase (KVA): 3.2

Continuous power single phase (KVA): 2.6

Fuel: Gasoline

Frequency (Hz): 50

Voltage (V): 230

Sockets configuration: 2 x 230V 16A 2P+T CEE

Engine: Honda GX130 4-stroke

Emissions Regulations: Stage 5

Engine rpm (rpm): Variable

Speed governor: Electronic

Ignition: Recoil

Starting system: Pull starter

Cooling: Air

Fuel tank capacity (L): 4.6

Acoustic pressure: 91 dB(A)

Length (mm): 596

Width (mm): 306

Height (mm): 457

Dry weight (Kg): 26.5

Silenced: Yes

Super silenced: Yes

ATS Switch device : No

Voltage regulator: Inverter

Engine manufacturer: Honda

