



---

# HONDA UM 536 EBE2 Lawnmower with brake

**Product price:**

**1.655,00 € tax excluded**

**Product description:**

HONDA UM536EBE2 Lawnmower with machine brake

HONDA UM536EBE2 Lawnmower with petrol engine, professional, self-propelled two-speed with 53 cm blades and Roto-stop® that allows the blades to stop safely for a perfect cut.

The HONDA UM536EBE2 lawnmower is designed for more difficult areas such as fields and roadsides.

The floating front wheels, hydrostatic control and Roto-stop® control make work easier and increase safety.

Designed for cutting tall grass, the HONDA UM536EBE2 is the ideal tool for maintaining the most demanding parks and gardens.

Operation is extremely intuitive, with a foot pedal control that allows you to choose between 4 cutting height settings on the Honda UM536EBE2 Lawnmower.

Use the foot pedal to adjust the cutting height according to grass length and desired finish.

**Honda Reinforced cutting deck**

The large cutting decks are made of pressed steel. Strong, lightweight and impact-resistant, have been treated to prevent rust, abrasion caused by UV and corrosion. In a nutshell,

*The HONDA UM536EBE2 lawnmower is an incredibly robust machine.*

**Honda UM536EBE2 professional operator engines**

The engine of the HONDA UM536EBE2 lawnmower has top-class features, including cast iron cylinder liners and high capacity air filters, making it ideal for professional use.

**Honda UM536EBE2 Roto-stop® blade stop**

The Roto-stop® allows you to stop the blades quickly and safely without shutting down the engine.

This feature is ideal if you want to remove debris or stop the blades in an emergency.

**Technical characteristics of the HONDA UM536EBE2 lawnmower:**

Engine: Honda GXV160, OHC, 4-stroke





Advance speed: 0.5-0.8 m/s  
Length: 1770 mm  
Width: 860 mm  
Height: 1080 mm  
Dry weight: 63 kg  
Cutting deck material: Steel  
Noise level: 98 dB(A)  
Grass mulching time 100 m<sup>2</sup>: 03 min 09 sec  
For gardens: Extensive and large areas  
Cutting deck size: 53 cm  
Cutting height: 15 to 75 mm  
With machine brake

Are you considering another kind of Lawnmower? Discover the whole range of lawnmowers to find the machine that best suits your needs.

Images and technical data are not binding. Please always consult the technical data sheet released by the manufacturer. Manel service does not assume responsibility for any changes made by the manufacturer.

HONDA UM536EBE2 Lawnmover

**Product features:**

Engine: Honda GXV160, OHC, 4-stroke  
Engine rpm (rpm): 3600  
Engine capacity (cm<sup>3</sup>): 163  
Oil capacity (L): 0.65  
Fuel tank capacity (L): 1.6  
Acoustic power: 98 dB(A)  
Length (mm): 1770  
Width (mm): 860  
Height (mm): 1080  
Dry weight (Kg): 63  
Self propelled: Yes  
Cutter deck size (mm): 530  
Lawn size suggested: Large gardens and fields  
Mulching: Side discharge  
Driving speed (m/s): 0.5-0.8  
Cutting Height Positions: 4  
Time for mulching grass for 100 m<sup>2</sup> turf (min:sec): 03:09  
Cutting height (mm): 15-75  
Traction type: Hydrostatic





Shop name

---

Product type: Lawnmower  
Engine manufacturer: Honda



PrestaShop