



BM2 STX 20015 High Pressure Washer 200 bar

Product price:

3.425,85 € tax excluded

Product description:

BM2 STX 20015 HIGH PRESSURE WASHER 200 BAR

The BM2 STX 20015 High Pressure Washer, with a maximum pressure of 200 bar, represents the pinnacle of innovation in the high-pressure cleaning equipment sector. Equipped with prestigious BM2 STX 20015 200 bar pumps, featuring ceramic pistons and brass head, it delivers a constant and powerful flow to effectively tackle any dirt.

The 1450 rpm motor ensures consistent power and extended durability, while the AISI 430 stainless steel cover protects against corrosion and atmospheric agents.

Thanks to the motor/pump coupling protection system and pressure regulation valve, the BM2 STX 20015 provides safe operation and precise flow adjustment. The integrated boiler, with over 89% efficiency, ensures effective cleaning even in the most stubborn conditions. Pre-ventilation and leakage control guarantee safe and efficient use, minimizing energy and water consumption.

The ergonomic design of the BM2 STX 20015, with a front bumper-handle and free-wheeling, pivoting wheels with brakes, makes this pressure washer easy to maneuver in any environment. Additionally, the motor's thermal protection ensures safe and reliable operation even in extreme conditions.

The BM2 STX 20015 200 bar is equipped with numerous advanced features, including LED notification for low diesel with boiler shutdown and automatic shutdown after 20 minutes of inactivity. With a 35-liter tank capacity and a length of 956 mm, this pressure washer offers high performance in a compact and versatile design.





In conclusion, the BM2 STX 20015 is the ideal choice for industry professionals and enthusiasts, thanks to its high performance, reliability, and user-friendly design. With a maximum pressure of 200 bar and a maximum flow rate of 900 Lt./h, it's ready to tackle any cleaning challenge with ease and precision.

Technical Features BM2 STX 20015:

Phase type: Three-phase
Supply voltage: 400 V
Frequency: 50 Hz
Maximum pressure: 200 bar - 20 Mpa - 2900 psi
Maximum flow rate: 900 Lt./h
Pump: IP E2
Shutoff System: ACDS
Pump rotation: 1450 rpm
Maximum power consumption: 6.5 KW
Power supply: 400 V - 3ph - 50 Hz
Maximum temperature: 140 °C
Tank capacity: 35 lt
Detergent tank capacity: 3 lt
Length: 956 mm.
Width: 610 mm.
Height: 940 mm.
Weight: 148 kg.

BM2

Are you looking for a pressure washer with different characteristics? [HERE](#) you can find the entire BM2 range or other specialized brands.

Images and technical data are not binding and may be subject to revisions by the manufacturer.

Product features:

Phase: Three phase
Fuel: Diesel
Frequency (Hz): 50
Voltage (V): 400
Pump type: IP E2
Maximum output capacity (Lt/min): 900





Tank capacity (L): 35
Transportability: Wheels and handles
Length (mm): 956
Width (mm): 610
Height (mm): 940
Dry weight (Kg): 148
Feed Type: 400V - 3ph - 50Hz
maximum water temperature (°C): 140
Maximum input power (KW): 6.5
Pump rotation (rpm): 1450
Maximum pressure (bar-MPa-psi): 200 - 20 - 2900
Stop system: ACDS
Detergent tank: 3

