



---

# PRAMAC GBW22P Generator Set ACP Three- phase 17.4KW Enclosed with automatic control panel

**Product price:**

**7.174,00 € tax excluded**

**Product description:**

PRAMAC GBW22P GENERATORE SET ACP THREE-PHASE 17.4KW

The PRAMAC GBW22P three-phase generator is equipped with a Perkins 404A-22G1 diesel engine and is capable of delivering a maximum power output of 20 kVA.

The PRAMAC GBW22P generator features electric, manual, or automatic starting with a 12 V battery, and is equipped with a Deep Sea control unit that allows you to view all engine and generator electrical parameters, functions, generator status, fully manage the unit, and display any system errors or alarms if they occur.

The PRAMAC GBW22P generator ensures efficient and quiet operation thanks to the Perkins 404A-22G1 engine, capable of delivering a maximum power of 20 kVA.

AUTOMATIC TRANSFER SWITCH (ATS) PANEL READY

The generator is pre-arranged for the use of an automatic transfer switch (ATS) panel. With this feature, you no longer have to worry about blackouts, because if the main power supply fails, the ATS panel will automatically start the generator and allow you to continue your activity without losing your work data.

Standard Equipment:

LINZ alternators with Compound regulation  
Tiltable canopy with gas springs  
Residential-grade silencer





Lifting hook  
Forkable base with wheels  
Engine fluids and battery  
Oil extraction piping

**TECHNICAL SPECIFICATIONS PRAMAC GBW22P ACP THREE-PHASE:**

Phase type: Three-phase  
Continuous power: 19.78 kVA - 15.82 kW  
Maximum power: 21.82 kVA - 17.46 kW  
Engine: Perkins 404A-22G1  
Emission standard: Stage 0  
Engine speed: 1500 rpm  
Starting system: Electric / Automatic  
Fuel: Diesel  
Terminal voltage: 400 V  
Frequency: 50 Hz  
Voltage regulator: Compound  
Socket panel: 1 x 400V CEE 32A | Terminal board  
Fuel tank capacity: 51 l  
Fuel consumption at 75% load: 3.98 l/h  
Autonomy at 75% load: 12.81 h  
Sound pressure level: 66 dB(A) @ 7 m  
Length: 1645 mm  
Width: 870 mm  
Height: 1072 mm  
Dry weight: 565 kg

Are you looking for a generator similar to the PRAMAC GBW22P THREE-PHASE but with different technical features? [CLICK HERE](#) to explore our dedicated section for PRAMAC generators or other specialized brands.

**Product features:**

Phase: Three phase  
Maximum power three phase (KW): 17.46  
Continuous power three phase (KW): 15.42  
Maximum power three phase (KVA): 21.82  
Continuous power three phase (KVA): 19.78  
Fuel: Diesel  
Frequency (Hz): 50  
Voltage (V): 400  
Sockets configuration:  
Engine: Yanmar L70N





Emissions Regulations: Stage 0  
Speed governor: Mechanical  
Starting system: Elettrico / Automatico  
Engine capacity (cm<sup>3</sup>): 2216  
Number cylinders: 4  
Cylinders' position: In line  
Oil capacity (L): 10.6  
Cooling: Water  
Alternator: Linz E1S13MF, with brushes  
Poles: 4  
Fuel tank capacity (L): 51  
Consumption (L/h): 4 at 75% of the load / 5.3 at 100% of the load  
Running time (h): 12.8 at 75% of the load / 9.7 at 100% of the load  
Acoustic power: 95 dB(A)  
Acoustic pressure: 66 dB(A) at 7 m  
Length (mm): 1645  
Width (mm): 870  
Height (mm): 1072  
Dry weight (Kg): 565  
Silenced: Yes  
Super silenced: Yes  
Product type: Generator  
ATS Switch device : Optional  
Voltage regulator: Compound  
Engine manufacturer: Perkins

