



GENSET MG33ISY Generator Group Stage0 250lt 33KVA AVR

Product price:

12.836,00 € tax excluded

Product description:

GENSET MG33ISY GENERATOR GROUP STAGE0 250LT 33KVA AVR

The GENSET MG33ISY Generator Group Stage0 250lt is a high-quality silent generator designed to ensure superior performance and reliability across a wide range of operating conditions. This model belongs to the GENSET Smart series, recognized for its compactness and durability, making it perfect for frequent use and easy, quick transportation.

The compact and robust design of the GENSET MG33ISY Stage0 makes it particularly suitable for applications that require frequent relocations. Its solid structure ensures long-lasting durability and resistance even in challenging environments, while the Yanmar engine operating at 1500 RPM provides efficient and reliable performance. Thanks to its advanced configuration, the GENSET MG33ISY Stage0 is equipped for automatic starting, ensuring ease of use and operational convenience.

Main Features of GENSET MG33ISY Stage0 250lt AVR:

Yanmar Engine at 1500 RPM: The Yanmar diesel engine delivers 46.1 HP (34.4 kWm), ensuring efficient and long-lasting operation.

Tank Capacity: With a 250-liter tank, the MG33ISY allows for long periods of operation without the need for frequent refueling.

Stage 0: Compliant with Stage0 regulations, this generator offers reliable performance without additional complications.

Automatic Shutdown System: Equipped with a safety system that shuts down the engine in case of anomalies such as low fuel level, low oil pressure, or high coolant temperature.





Ease of Maintenance: Designed for easy access during maintenance, ensuring a long operational life and uninterrupted performance.

Control Panel and Outlets: Includes a control panel with multiple outlets for single-phase and three-phase connections, allowing versatility in use.

Technical Specifications of GENSET MG33ISY Generator Group Stage0 250lt AVR:

Maximum Power: 33 kVA (three-phase) and 11 kVA (single-phase) with a power factor of $\cos \phi = 0.8$.

Fuel Consumption: 6.4 liters/hour at 80% load.

Noise Level: 96 dB (71 dB at 7 meters), ensuring relatively quiet operation.

Dimensions: 1935x915x1536 mm, ideal for confined spaces.

Weight: 960 kg, facilitating handling and transportation.

Standard Equipment:

Hour Meter and Voltmeter

Emergency Stop Button

Fuel Level Indicator

Power Output Protection and Differential Switch

Connector for AMF-ATS Panel and Remote Control

Lifting Tubes and Lifting Hook

Liquid Collection Tray

The GENSET MG33ISY Group Stage0 250lt is the perfect choice for those in need of a reliable and powerful generator with simple maintenance and long operational capability.

This model represents an advanced and versatile solution, ideal for a wide range of industrial and commercial applications. With its technical features and standard equipment, the GENSET MG33ISY Generator Group Stage0 250lt is synonymous with quality and performance in the generator sector.

Looking for a power generator with different characteristics? HERE you can find the full range of products from GENSET or other brands specializing in the field

Images and technical data are not binding and may be subject to revision by the supplier.

Product features:

Phase: Single phase / Three phase

Maximum power single phase (KW): 8.8





Maximum power single phase (KVA): 11

Maximum power three phase (KW): 26.4

Maximum power three phase (KVA): 33

Fuel: Diesel

Frequency (Hz): 50

Voltage (V): 230 / 400

Sockets configuration: 1 x 400V 63A CEE - 1 x 400V 32A CEE - 1 x 230V 32A CEE - 1 x 230V 16A CEE

Engine: Yanmar 4TNV98, 4 stroke

Emissions Regulations: Stage 0

Engine rpm (rpm): 1500

Starting system: Electric

Engine capacity (cm³): 3319

Number cylinders: 4

Cooling: Coolant Liquid

Alternator: Synchronous

Protection degree: IP23

Motor insulation class: H

Fuel tank capacity (L): 250

Consumption (L/h): 6.4

Running time (h): 39.06

Acoustic power: 96 dB(A)

Acoustic pressure: 71 dB(A) at 7 m

Length (mm): 1935

Width (mm): 915

Height (mm): 1536

Dry weight (Kg): 960

Silenced: Yes

Product type: Generator

ATS Switch device : Optional

Voltage regulator: AVR

Engine manufacturer: Yanmar

