



# LIGHT TOWER 4X320W LED 3kVA + Generator

**Product price:**

**10.030,00 € tax excluded**

**Product description:**

LIGHTHOUSE TOWER 4X320W LED 3kVA + GENERATOR

Lighting tower 4x320W LED 3kVA + Generator: Powerful and versatile lighting for every need

This light tower is the ideal solution for illuminating large outdoor areas effectively and independently. Thanks to its powerful generator and four 320W LED lamps, it provides bright, even lighting, perfect for construction sites, outdoor events, emergencies and much more.

**Key features:**

**Light output:** The four 320W LED lamps, with an angle of 340°, illuminate an area of more than 9300 m<sup>2</sup>, guaranteeing optimal visibility even in low light conditions.

**Integrated generator:** The 3-cylinder, 3kVA Kubota D1105 diesel generator provides the energy needed to power the lamps and other equipment.

**Autonomy:** With an 80-litre fuel tank and a consumption of 1.85 litres/hour, the light tower offers an autonomy of over 43 hours of continuous operation.

**Mobility:** Thanks to the transport trolley and manual telescopic pole, the light tower is easy to move and position. The maximum height that can be reached is 8 metres.

**Robustness and durability:** The steel construction and high-quality components guarantee a long service life and weather resistance.

**Quiet:** The diesel engine is silenced to minimise noise pollution.





Safety: The IP23 degree of protection ensures adequate protection against the ingress of dust and water.

Technical specifications:

Auxiliary Power Take-off (kVA) 3  
Fuel Diesel

Frequency (Hz) 50

Voltage (V) 230

Engine Kubota D1105

Engine speed (rpm) 1500

Starting Electric

Liquid Cooling

Linz Synchronous Alternator or equivalent

Type of lamps LED

Telescopic pole Manual

Illuminated area (m<sup>2</sup>) 9300

Height Manual lifting system

Maximum height (m) 8

Dimensions Open (mm) 2550 X 2580 X 8000

Wind stability (Km/h) 80

Fuel tank capacity (L) 80

Consumption (L/h) 1.85

Autonomy (h) 43





Acoustic pressure 65 dB(A) at 7 m

Silenced Yes

Super silenced Yes

Weight (Kg) 690

Pole rotation 340°

Transportability Towing Cart Slow

Dimensions Closed (mm) 1920 X 1400 X 2560

Product Type Light tower

Engine Brand Kubota

Lamps 4 x 320 W

With generator

Protection class IP23

Generator power kVA/V 8-230

Number of cylinders 3

Looking for other Light Towers? [HERE](#) you can browse our entire catalog dedicated to Light Towers.

Images and technical data are non-binding.

**Product features:**

Phase: Single phase

Fuel: Diesel

Frequency (Hz): 50

Voltage (V): 230

Engine: Kubota D1105

Engine rpm (rpm): 1500

Starting system: Elettrico

Number cylinders: 3

Cooling: Liquid





Alternator: Linz Synchronous or equivalent  
Protection degree: IP23  
Maximum height (m): 8  
Type of lamps: LED  
Lamps: 4 x 320 W  
Telescopic pole: Manual  
Illuminated area (m<sup>2</sup>): 9300  
Lifting System: Manual lifting system  
Mast rotation: 340°  
With generator / Without generator: With generator  
Transportability: Slow Trailer  
Stability to wind (Km/h): 80 Km/h  
Fuel tank capacity (L): 80  
Consumption (L/h): 1.85  
Running time (h): 43  
Acoustic pressure: 65 dB(A) at 7 m  
Silenced: Yes  
Super silenced: Yes  
Product type: Light tower  
Engine manufacturer: Kubota  
Weight (Kg): 690  
Closed Dimensions (mm): 1920 X 1400 X 2560  
Open dimensions (mm): 2550 X 2580 X 8000  
Auxiliary socket (kVA): 3  
Power Generator set kVA/V: 8-230

