



MOSA MPA50K Motor Pump for Dark Water 480L/min

Product price:

608,00 € tax excluded

Product description:

MOSA MPA50K Mud Water Pump 480L/min

MOSA MPA50K Mud Water Pump 480L/min: The ideal solution for dirty water and heavy-duty applications

The MOSA MPA50K Mud Water Pump 480L/min is a powerful gasoline engine pump designed for draining dirty water.

Thanks to its robust construction and high performance, it is the ideal choice for professionals and individuals who need a reliable and durable pump for demanding applications.

High Performance:

Powerful engine: The KOSHIN K210 4.4 kW gasoline engine (continuous rated power) guarantees high performance and easy starting thanks to the recoil start.

High flow rate: The MOSA MPA50K is capable of sucking up to 480 liters per minute, allowing you to quickly complete even the most demanding jobs.

High head: The pump offers a total head of 90 meters, allowing you to lift water even at great heights.

Effective suction: The maximum suction lift of 8 meters allows you to suck water even from deep wells or tanks.

Technical Characteristics MOSA MPC80H:





Connection diameter Suction: 50 mm (2 in)
Connection thread: BSP pipe external thread
Delivery volume: 480 L/min
Max. suction lift: 8 m
Engine: KOSHIN K210 high rotation
Engine type: 4-stroke air-cooled gasoline engine
Displacement (cm³): 212
Continuous rated power: 4.4 kW
Max. rated power: 4.9 kW
Engine speed (rpm): 4,000
Fuel tank capacity (L): 3.3
Operating time: Approximately 1.2 hours
Starting: Recoil
Viscosity: Clear water
Net weight (kg): 33.9
Product dimensions (mm): 550 x 437 x 457 mm
Fuel: Gasoline
Total head (m): 90
Connection diameter - Discharge: 50 mm (2 in) / 25 mm (1 in)×2

If you are looking for a product with similar characteristics [CLICK HERE](#).
Images and technical data are purely indicative.

Product features:

Fuel: Gasoline
Engine: KOSHIN K210 high rotation
Engine rpm (rpm): 4.000
Starting system: Pull starter
Engine capacity (cm³): 212
Nominal power continuous: 4.4 kW
Product dimensions (mm): 550 x 437 x 457
Total head (m): 90
Fuel tank capacity (L): 3.3
Net weight kg: 33.9
connection diameter: Suction: 50 mm (2 in)
Connection thread: BSP external pipe thread
delivery volume: 480 L/min
Maximum suction head: 8 m
Motor type: Air-cooled 4-stroke petrol engine
Max Rated Power: 4.9 kW
tempo di funzionamento: approx. 1.2 hours
Viscosity: Clear water





Shop name

Connection diameter - Drain: 50 mm (2 in) / 25 mm (1 in)×2



PrestaShop