



# Hyundai 65159 Silenced Generator 5.5KW

Product price:

**1.383,52 € tax excluded**

## Product description:

Hyundai 65159 Silent Power Generator

**Hyundai 65159 Silent Power Generator** is a portable, compact and high-performance inverter generator,

ideal for powering lights, fans, small appliances and camping appliances.

Equipped with **inverter technology**, it automatically adjusts the power based on the required load,

reducing fuel consumption and ensuring silent and efficient operation.

The generator features an alternator with 100% copper winding,

ensuring greater durability over time and a superior quality of the sine wave generated.

Thanks to its **portability** (net weight 39 kg, dimensions 590x390x574 mm) and the **handle integrated**,

it is easily transportable anywhere.

It includes 1x16A + 1x32A sockets, 11 HP power, and is designed for ATS KIT (code 65140) and parallel connection (code 65145) to increase the available power.

## Technical Features *Hyundai 65159*:

**Phase type: Single Phase**

**Single Phase Maximum Power (kW): 5.5**

**Rated Power (kW): 5.0**

**Frequency (Hz): 50**

**Voltage (V): 220V / 50 Hz**





**Voltage: Automatic**

**Engine Speed ??(rpm): 4800**

**Starting: Electric**

**Displacement (cm<sup>3</sup>): 223**

**Oil capacity (L): 0.7**

**Tank capacity (L): 11**

**Autonomy (h): 4**

**Weight (kg): 39**

**Product dimensions (mm): 590 x 390 x 574**

**Socket configuration: 1x16A + 1x32A**

**Power (HP): 11**

**Alternator: 100% Copper**

**Are you looking for a Hyundai generator with different technical characteristics? [HERE](#) you can find the area dedicated to HYUNDAI generators or other specialized brands.**

**Images and technical data are not binding. Please always consult the technical data sheet issued by the manufacturer.**

**Manel service does not assume responsibility for any changes made by the manufacturer.**





**Product features:**

Phase: Single phase

Maximum power single phase (KW): 5.5

Frequency (Hz): 50

Voltage (V): 220V / 50 hz

Sockets configuration: 1x16A + 1x32A

Engine rpm (rpm): 4800

Starting system: Elettrico

Engine capacity (cm<sup>3</sup>): 223

Oil capacity (L): 0.7

Alternator: 100% copper

Tank capacity (L): 11

Product dimensions (mm): 590 x 390 x 574

Running time (h): 4

Weight (Kg): 39

Voltaggio: Automatic

Nominal Power Kw: 5.0

protezione da sovratensione: 11

