



---

# Generator Set 710kVA Silenced 370L

**Product price:**

**58.670,00 € tax excluded**

**Product description:**

Soundproof Generator 710kVA 370L

The Soundproof Generator 710kVA 370L is designed to provide constant and safe electrical power in any situation. Thanks to the powerful Hyundai engine and the Leroy Somer alternator, this generator guarantees high performance and operational continuity, becoming an indispensable support for companies, construction sites, and facilities requiring high power.

The super soundproof canopy minimizes acoustic impact, making the Soundproof Generator 710kVA 370L suitable not only for industrial environments but also for urban contexts or events where silence is essential. Robust, efficient, and easy to manage, it combines power and reliability in a single professional solution.

**Main features – Soundproof Generator 710kVA 370L:**

Three-phase maximum power: 710 KVA

Continuous three-phase power: 568 KW

Fuel: Diesel

Voltage: 230/400 V

Engine: HYUNDAI DP180LB

Fuel tank capacity: 370 L

Alternator: Leroy Somer TAL0473 F

Starting: Automatic

Length: 5000 mm

Width: 1900 mm

Height: 2350 mm

Weight: 5690 Kg

**Power, efficiency and silence in a single Soundproof Generator 710kVA 370L:**

The **Soundproof Generator 710kVA 370L** has been designed to ensure maximum operational





continuity in every situation. The combination of the powerful Hyundai engine and the Leroy Somer alternator delivers consistent and long-lasting performance, while the super soundproof canopy drastically reduces noise, making it suitable even in environments where noise is a critical factor.

The construction quality of the Soundproof Generator 710kVA 370L is built to last: powder-coated carbon steel, class 1 sound-absorbing materials, and anti-vibration systems guarantee strength and stability even under the toughest conditions. Every detail, from reinforced access doors to integrated safety systems, has been designed to make use and maintenance easier.

Looking for a generator with different technical features? [CLICK HERE](#) to explore the section dedicated to generators from leading specialized brands.

**Product features:**

Phase: Three phase

Maximum power three phase (KW): 568

Continuous power three phase (KW): 568

Maximum power three phase (KVA): 710

Continuous power three phase (KVA): 640

Fuel: Diesel

Frequency (Hz): 50

Voltage (V): 230 / 400

Engine: HYUNDAI DP180LB

Emissions Regulations: NON EMISSIONATO

Engine rpm (rpm): 1500

Speed governor: Electronic

Starting system: Automatico

Engine capacity (cm<sup>3</sup>): 18273

Number cylinders: 10

Cylinders' position: In line

Cooling: Water

Alternator: Leroy Somer TAL0473 F

Poles: 4

Protection degree: IP23

Fuel tank capacity (L): 370

Consumption (L/h): 103.8 Lt/h al 75% del carico

Running time (h): 3.34 h al 75% del carico

Acoustic pressure: 75 dB(A) at 7 m

Length (mm): 5000

Width (mm): 1900

Height (mm): 2350



Dry weight (Kg): 5690

Silenced: Yes

Super silenced: No

ATS Switch device : Optional

Lead-acid battery: 2X12V 200Ah

Insulation Class: H