



PRAMAC LSW9Y Metal Halides 4 x 1000W with Genset

Product description:

These integrated, towable light towers are equipped with slow towing or road towing. Ideal for quick and easy deployment.

Thanks to their 4X1000W metal halide lamps these light towers illuminate more than 4,000 square meters, representing a professional solution for outdoor use, such as road and bridge construction, emergency management, oil and gas.

Non-binding images and technical data.

Product features:

Phase: Single phase

Maximum power single phase (KVA): 7.16

Continuous power single phase (KVA): 6.52

Fuel: Diesel

Frequency (Hz): 50

Voltage (V): 230

Sockets configuration: 1 x 230V 16A 2P+T CEE

Engine: Yanmar 3TNV76-GPGE, naturally aspirated

Speed governor: Mechanical

Starting system: Electric

Engine capacity (cm³): 1116

Number cylinders: 3

Cylinders' position: In line

Oil capacity (L): 3.5

Cooling: Water

Alternator: Linz E1C13SD

Poles: 4

Type of lamps: Metal halide

Lamps: 4 x 1000 W

Telescopic pole: Galvanized steel





Illuminated area (m²): 4500
Total lumens (Lm): 360000
Lifting System: Hydraulic lifting system
Maximum height (m): 9
Mast rotation: 360°
Open size (mm): 3011 x 2742 x 8838
Length closed (mm): 3011
Width closed (mm): 1342
Height closed (mm): 2468
Transportability: Slow or road trailer
Fuel tank capacity (L): 120
Consumption (L/h): 2.03 at 75% of the load / 2.70 at 100% of the load
Running time (h): 59.11 at 75% of the load / 44.44 at 100% of the load
Acoustic power: 87 dB(A)
Acoustic pressure: 58 dB(A) at 7 m
Dry weight (Kg): 970
Inverter: No
AVR: No
Compound: No
Silenced: Yes
Super silenced: Yes

