



PRAMAC P11000 Generator Set Single-phase - Three-phase 8.6KW IPP

Product price:

7.237,50 € tax excluded

Product description:

PRAMAC P11000 SINGLE-PHASE / THREE-PHASE GENERATOR 8.6KW

The PRAMAC P11000 single-phase/three-phase generator delivers 8.6 kW of power with a diesel engine running at 3000 rpm. The PRAMAC P11000 generator is equipped with electric start. Its alternator is fitted with a compound voltage regulator. The Yanmar diesel engine makes the PRAMAC P11000 highly reliable, as it has been built and designed using top-quality materials. Thanks to its soundproof canopy, it is considered super-silenced, and with its compact dimensions it can be easily handled and transported.

The PRAMAC P11000 single-phase/three-phase generator is suitable for outdoor use in small construction sites or for light-duty applications.

Technical specifications of the PRAMAC P11000 Single-phase/Three-phase generator:

Maximum Single-phase Power: 5.28 kW

Continuous Single-phase Power: 4.8 kW

Maximum Three-phase Power: 8.6 kW

Continuous Three-phase Power: 8 kW

Fuel: Diesel

Voltage: 230 V / 400 V

Frequency: 50 Hz

Engine: Yanmar 3TNM74F-NHPGE

Starting: Electric

Fuel Consumption: 3.63 L/h at 100% load

Length: 1400 mm

Width: 650 mm

Height: 975 mm

Weight: 320 kg

Compound

CONTROL PANEL





Controls:

- Ignition key: OFF - ON - START
- Star-delta power switch

Instrumentation:

- Voltmeter
- Hour counter
- Low oil pressure indicator

Protections:

- Circuit breaker
- Isometer protection (IPP)

Outlets:

- 1 × 2P+T CEE 230V 16A IP44
- 1 × 2P+T CEE 230V 32A IP44
- 1 × 3P+N+T CEE 400V 16A IP44

The PRAMAC P11000 generator is a professional diesel genset developed by Pramac, featuring a diesel engine with a soundproofed canopy design, making it ideal for residential areas. Thanks to its low noise level, the PRAMAC P11000 is the perfect generator for residential use or outside working hours.

The P11000 generator is equipped with high-quality components and complete instrumentation, suitable for use on construction sites or as backup power during blackouts.

If you are looking for a generator like the PRAMAC P11000 single-phase/three-phase model, we recommend browsing our catalog of land-based generators to find the one that best suits your needs.

Product features:

- Phase: Single phase / Three phase
- Maximum power single phase (KW): 5.28
- Continuous power single phase (KW): 4.8
- Maximum power single phase (KVA): 6.6
- Continuous power single phase (KVA): 6
- Maximum power three phase (KW): 8.6
- Continuous power three phase (KW): 8
- Maximum power three phase (KVA): 10.8
- Continuous power three phase (KVA): 10
- Fuel: Diesel
- Frequency (Hz): 50
- Voltage (V): 230 / 400





Sockets configuration: 1 x 400V 16A 3P+N+T CEE - 1 x 230V 32A 2P+T CEE - 1 x 230V 16A 2P+T CEE

Engine: 3TNM74F-NHPGE

Engine rpm (rpm): 3000

Speed governor: Mechanical

Starting system: Elettrico

Engine capacity (cm³): 993

Oil capacity (L): 3.4

Cooling: Water

Poles: 2

Fuel tank capacity (L): 24

Consumption (L/h): 2.56 al 75% del carico / 3.63al 100% del carico

Running time (h): 9.38 al 75% del carico / 6.61 al 100% del carico

Acoustic power: 96 dB(A)

Acoustic pressure: 68 dB(A) at 7 m

Length (mm): 1400

Width (mm): 650

Height (mm): 975

Dry weight (Kg): 320

Silenced: Yes

Super silenced: No

Product type: Generator

ATS Switch device : No

Voltage regulator: Compound

Engine manufacturer: Yanmar

