



MASE IS 6.1 MARINE GENERATOR SINGLE PHASE 6.1KW

Product price:

15.200,00 € tax excluded

Product description:

MASE IS6,1 SINGLE PHASE MARINE GENERATOR 6,1KW

MASE IS6,1 single phase marine generator with KUBOTA Z482 engine with diesel power supply at 3000 rpm capable of delivering a power of 6,1KW.

The MASE IS6,1 is designed with a soundproof cabin that makes it **supersilenced**. The MASE IS6,1 marine generator is built with Kubota diesel-powered engine and synchronous alternator, self-excited with air/water cooling. With its small size, it is also suitable on small boats.

The marine generator CBU control module has a new design, the latest technology, a large display and micro-buttons for quick navigation of menus, start and stop procedures; IP54 protection rating. Very compact, 86x124mm and equipped with 10mts shielded cable, the CBU module has multiple functions for complete monitoring of the MASE IS6.1 generator.

The soundproof cabin of the MASE IS6,1 consists of a supporting structure in aluminum profile that supports panels in marine aluminum painted type 5754 extremely light and very high resistance to external agents. The excellent accessibility to the internal compartment makes maintenance operations easier, even when the generator set is installed in narrow spaces.

Technical features:

Maximum power Single phase: 6.1 KW

Continuous use power Single phase: 5. 6 KW

Fuel: Diesel

Voltage: 115 V / 230 V

Frequency: 50 Hz

Motor: KUBOTA Z482

Length: 650 mm

Width: 468 mm





Height: 555 mm

Weight: 165 Kg

If you are looking for another generator like the MASE IS6,1 then you can browse the entire catalog of marine gensets.

Images and technical data are not binding.

Product features:

Phase: Single phase

Maximum power single phase (KW): 6.1

Continuous power single phase (KW): 5.6

Maximum power single phase (KVA): 6.1

Continuous power single phase (KVA): 5.6

Fuel: Diesel

Frequency (Hz): 50

Voltage (V): 115 / 230

Engine: KUBOTA Z482, 4 stroke

Engine rpm (rpm): 3000

Speed governor: Centrifugal, mechanical

Engine capacity (cm³): 479

Number cylinders: 2

Cooling: Air / water (Intercooler W/A)

Inyección : Indirect

Alternator: Synchronous, self-excited

Poles: 2

Bore x stroke (mm): 67 x 68 mm

Lubrication: Forced

Acoustic pressure: 54 dB(A) at 7 m

Length (mm): 650

Width (mm): 468

Height (mm): 555

Dry weight (Kg): 165

Inverter: No

AVR: No

Compound: No

Silenced: Yes





Shop name

Super silenced: Yes

Product type: Generator

Engine manufacturer: Kubota



PrestaShop