



TECNOGEN H8000 Generator set 7.2KVA

Product price:

1.175,00 € tax excluded

Product description:

TECNOGEN H8000 GENERATOR SET 7.2KVA

TECNOGEN H8000 Generator Set 7.2KVA single-phase with Honda engine at 3000 RPM, powered by gasoline. The TECNOGEN H8000 is easy to use, compact, maneuverable, and easy to maintain. The TECNOGEN H8000 7.2KVA features a manual pull-start with a retractable cord. This TECNOGEN H8000 Generator 7.2KVA is perfect for both hobby and professional use, thanks to the reliable Honda engine powered by gasoline and all the high-quality components it is made of.

Why buy a TECNOGEN H8000 Generator Set 7.2KVA?

First and foremost, it solves problems of power outages in various environments, from homes to businesses. The TECNOGEN H8000 generator is also used to provide electricity on construction sites and for hobby use. Professional generators are lightweight, easy to transport, compact, and robust, simple to use, and have low operating costs. They also offer great value for money.

The TECNOGEN H8000 can be equipped with lifting hooks, which are very convenient for moving the generator with an overhead crane or a small crane.

Technical Specifications TECNOGEN H8000 Generator set 7.2KVA:

Maximum Single-Phase Power: 5.8 KW
Maximum Single-Phase Power: 7.2 KVA
Fuel: Gasoline
Voltage: 230 V
Frequency: 50 Hz
Engine: Honda GX390
Start: Manual
Length: 780 mm
Width: 520 mm
Height: 560 mm





Weight: 73 Kg

All TECNOGEN Models

TECNOGEN models are available in both single-phase and three-phase versions, with power from 2.3 to 21 KVA MAX, equipped with gasoline or diesel engines, air-cooled, 3000 RPM, with electric and/or manual start with a retractable cord. Compact, simplified, and economical, they offer an excellent price/performance/size and weight ratio. Easily transportable due to their reduced dimensions, thanks to an essential setup, they are suitable for anyone needing an affordable energy source, still assembled with top-quality components ensuring absolute reliability. The TECNOGEN gasoline versions of the COMPACT line, due to the latest generation Honda engines, meet the noise directive 2000/14/EC.

Advantages of TECNOGEN H8000 7.2KVA

Power: The generator is capable of providing sufficient power to run a wide range of electrical equipment.

Reliability: The generator is designed to offer years of reliable service.

Versatility: The generator can be used for a wide range of applications.

Looking for a different model of TECNOGEN H8000 Generator 7.2KVA? Visit the section dedicated to land-based generators.

Images and technical data are non-binding.

Product features:

Phase: Single phase

Maximum power single phase (KW): 5.8

Maximum power single phase (KVA): 7,2

Fuel: Gasoline

Frequency (Hz): 50

Voltage (V): 230

Engine: Honda GX390

Emissions Regulations: Stage 5

Engine rpm (rpm): 3000

Starting system: Manuale

Engine capacity (cm³): 389

Number cylinders: 1

Cooling: Air

Fuel tank capacity (L): 2

Consumption (L/h): 1.9

Running time (h): 3.42

Acoustic power: 96 dB(A)

Length (mm): 780

Width (mm): 520



Height (mm): 560
Dry weight (Kg): 73
Silenced: No
Super silenced: No
ATS Switch device : No
Voltage regulator: No
Engine manufacturer: Honda