



PRAMAC TG27/15 IP23 Cardan Generator Single- phase-Three-phase 27kVA AVR

Product price:

2.128,00 € tax excluded

Product description:

PRAMAC TG27/15 IP23 Cardan Generator Single/Three-Phase 27KVA AVR

PRAMAC TG27/15 IP23 cardan generator, 11 KVA single-phase and 27 KVA three-phase, with tractor connection at 1500 rpm. The PRAMAC TG27/15 IP23 cardan generator has a voltage of 230 V / 400 V and a frequency of 50 Hz. The alternator of the PRAMAC TG27/15 IP23 cardan generator has an **AVR** voltage regulator. The AVR regulator stabilizes the voltage and prevents damage to connected devices. The TG27/15 IP23 AVR cardan generator is highly reliable as it has been built and designed using high-quality materials.

Easy to transport, install, and position thanks to its compact size, this model is ideal for mounting on a tractor unit. The PRAMAC TG27/15 IP23 cardan generator requires a tractor power of 48 KW / 65 HP and a cardan shaft speed of 430 rpm.

Technical specifications of the PRAMAC TG27/15 IP23 AVR Cardan Generator Single/Three-Phase:

Continuous power single-phase: 11 KW

Continuous power three-phase: 21.6 KW

Voltage: 230 V / 400 V

Frequency: 50 Hz

Cardan shaft speed: 430 rpm

Required tractor power: 48 KW / 65 HP

Length: 958 mm

Width: 645 mm

Height: 1003 mm

Weight: 201 Kg

AVR

Sockets:





N.1 SCHUKO 230V 16A IP54
N.1 2P+T CEE 230V 32A IP44
N.1 3P+N+T CEE 400V 63A

The PRAMAC TG27/15 IP23 cardan generator is a professional tractor-driven unit developed by Pramac, making it one of the best choices compared to its competitors. The PRAMAC TG27/15 IP23 cardan generator features a robust structure with a protective tubular frame. This series is the ideal solution for agricultural applications, enabling access to remote areas even under adverse weather conditions.

The TG27/15 IP23 cardan generator is equipped with thermal-magnetic protection, residual current protection, voltmeter, and frequency meter.

If you are looking for a cardan generator like the PRAMAC TG27/15 IP23 AVR single/three-phase tractor-driven unit, we recommend browsing our catalog of cardan generators to find the one that best suits your needs.

Product features:

Phase: Single phase / Three phase

Continuous power single phase (KW): 8.8

Continuous power single phase (KVA): 11

Continuous power three phase (KW): 13.92

Continuous power three phase (KVA): 17.4

Frequency (Hz): 50

Voltage (V): 230 / 400

Sockets configuration: 1 x 400V 63A 3P+N+T CEE - 1 x 230V 32A 2P+T CEE - 1 x 230V 16A SCHUKO

Engine rpm (rpm): 1500

PTO speed (round/min): 430

Required tractor power: 48 KW / 65 HP

Voltage regulator: AVR

