



# PAGURO6000 Marine Genset VTE 6.5 kVA 60 Hz EPA

**Product price:**

**8.322,00 € tax excluded**

## **Product description:**

PAGURO6000 super-silenced 6.5 KVA marine genset EPA

PAGURO6000 Marine Genset 60 Hz supersilenced 6.5 KVA is a single-phase 6.5 KVA marine genset, with a Lombardini diesel-powered 3600 rpm engine and water-cooled with stainless steel water/air heat exchanger.

All parts in contact with seawater are made of 316 L stainless steel.

The VTE PAGURO6000 60Hz super-silenced marine genset is among the quietest in its class, and thanks to its water cooling and double anti-vibration system, vibrations and noise emissions are reduced to a minimum.

The compact, manoeuvrable and space-saving VTE PAGURO6000 60 Hz marine genset is ideal for use on small boats, with easy operation it is ready to give you all the power you need in peace. The PAGURO6000 marine genset has a voltage of 115 V and a frequency of 60 Hz and is therefore perfect for operation in other countries with this type of frequency.

## **Technical characteristics VTE Paguro6000 60hz**

Fuel: Diesel

Rpm: 3000

Phase: Single Phase

Continuous single phase output (kVA): 6.5

Frequency (Hz): 60

Voltage (V): 115

Engine: Lombardini LDW502

Starting system: Electric

Noise level: Supersilenced 53 dB(A)

Cooling system: Fresh water with heat exchanger

Dry weight (Kg): 130

Length (mm): 660

Width (mm): 460





Height (mm): 600

### **Motor**

The PAGURO6000 has a Lombardini diesel-powered engine that makes the marine genset efficient and reliable. Designed with a stainless steel water/air heat exchanger.

### **Alternator**

The PAGURO6000's alternator is synchronous, brushless and with class H insulation. The capacitor regulation makes the voltage stable without voltage fluctuations and makes the PAGURO6000 generator set perfect for powering sensitive electronic devices that fear voltage and current fluctuations.

It is also water-cooled via an AISI 316 L stainless steel heat exchanger.

### **Soundproofing capsule and double anti-vibration system**

The reinforced fibreglass capsule with composite layering and high-density soundproofing material coating make this marine genset one of the most silent compared to its competitors.

The pod allows installation even in the smallest and narrowest places, thanks to its composition: two upper parts and one lower part.

Finally, the dual anti-vibration system, internal with 4 soft mounts and external with 4 semi-elastic mounts, makes the PAGURO6000 stable and silenced even in the most difficult navigation, so you can enjoy your navigation without additional worries.

If you are looking for another product such as the PAGURO6000 marine generator, you can consult our entire marine generator catalogue [Click HERE](#).

Non-binding images and technical data.

### **Product features:**

Phase: Single phase

Continuous power single phase (KW): 5.5

Continuous power single phase (KVA): 6.5

Fuel: Diesel

Frequency (Hz): 60

Voltage (V): 115

Engine: Lombardini LDW502

Engine rpm (rpm): 3600

Starting system: Electric

Number cylinders: 2

Cooling: Fresh water with heat exchanger

Alternator: Synchronous, brushless



---

Consumption (L/h): 0.35  
Acoustic pressure: 52 dB(A) at 7 m  
Length (mm): 660  
Width (mm): 460  
Height (mm): 600  
Dry weight (Kg): 130  
Silenced: Yes  
Super silenced: Yes  
Product type: Generator  
Engine manufacturer: Lombardini  
Approvals: EPA