



HONDA Outboard BF 5 SHU Short Shaft 3.7 kW 5 Hp 127 cm³

Product price:

1.325,00 € tax excluded

Product description:

HONDA BF 5 SHU Outboard Short Shaft 3.7 kW 5 Hp 127 cm³

Honda BF5 SHU is an outboard motor, it is powerful enough to take you into coastal waters on an inflatable boat or dinghy. Lightweight to carry, they include ergonomic handles and can be easily stored in the trunk of your car.

The Honda BF5 SHU outboards are single cylinder 4-stroke engines with a top valve. They are easy to start with a manual system that allows the engine to run freely right away. The outboards have the most advanced technology that precisely controls the ignition phase, so when you start it, even in cold weather, it will start without hesitation. The air-cooled BF5 SHU provides great maneuverability with 360° rotation and a built-in fuel saving space tank. Easy to transport wherever you wish to go.

A centrifugal clutch allows the engine to idle without operating the propeller blades. When you want to start moving, just act on the throttle knob, the clutch engages and drives the propeller a bit like it does in an automatic transmission.

It's very important for a small boat to be nimble and able to change direction quickly. The small Honda BF5 SHU has a fast turning action, which is perfect for reversing without changing gears. Just turn the rudder 180 degrees and the boat is able to move in reverse. You'll be able to maneuver around tight spots in a harbor with ease.

These Honda BF5 SHU outboards are the lightest in their class, so it's no wonder they're easy to pull out. They've been made easier to carry, with an ergonomic handle positioned at just the right balance point, allowing you to walk normally without effort.

Improving the quality of our lives means, above all, taking care of the environment in which we live. We cannot allow boat fuel to pollute the marine environment. That's why Honda has made outboards cleaner, quieter and more environmentally friendly with the introduction of the 4-stroke.





First, the aluminum housing is anodized using Honda's patented "double seal" process (1). Then a layer of epoxy primer is applied (2) before silver gloss paint (3). As additional UV protection, a clear resin (4) is applied as a top coat. For added safety, a sacrificial anode is applied to all watertight connectors.

Technical characteristics of Honda BF5 SHU outboard:

Net Power (kW): 3.7
Net Power (Hp): 5
Displacement: 127 cm³
Shank Length: Short
Dry Weight (Kg) : 27.5
Boosting: Electric
Initiation System: Electronic PGM-IG
Type of Control: Tiller Mounted
Engine Mounting and Lifting: 5 Position Manual
Transom Height (mm): 561
Length (mm): 524
Width (mm): 347
Height (mm): 1147
Bore x Stroke: 60 x 45 mm
Mark Engine: Honda
Engine Type: OHV, 4-stroke
Number of Cylinders: 1
RPM at full throttle (rpm): 4500-5500
Cooling System: Water
Battery Charging Capacity (A): 6

Looking for an outboard with different features? Here you can find the full range of Honda outboards and other specialty brands.

Images are for illustrative purposes only.

Product features:

Fuel: Gasoline
Engine: OHV, 4 stroke
Ignition: Electronic PGM-IG
Starting system: Manual
Engine capacity (cm³): 127
Number cylinders: 1
Cooling: Water (with thermostat)





Bore x stroke (mm): 60 x 45

Reduction ratio: 2.08

Rpm at full throttle (rpm): 4500 - 5500

Appearance and engine lifting: Manual / Manual 5 position

Transom height (mm): 445

Net power (kW): 3.7

Fuel tank capacity (L): 12

Length (mm): 525

Width (mm): 350

Height (mm): 1005

Dry weight (Kg): 27

Shaft Length: S

Controls: Tiller

