



Hyundai Inverter Generator 9.3KW Single-Phase-Three- Phase Stage5

Product price:

1.500,00 € tax excluded

Product description:

Hyundai Inverter Generator 9.3KW Single-Phase - Three-Phase Stage5

Hyundai Inverter Generator 9.3KW Single-Phase - Three-Phase Stage5 represents a powerful and versatile energy solution, ideal for a wide range of applications. This model Hyundai is equipped with a 1-cylinder 4-stroke engine with a displacement of 485cc, capable of delivering a maximum power of 9.3kW and a nominal power of 9.0kW, ensuring high and constant performance.

The Hyundai Generator is practical and reliable thanks to the recoil/electric system with button. Its flexibility extends to power supply, supporting a voltage of 230V and 400V with a frequency of 50Hz, adapting to different needs. The socket configuration includes 1 x 63A single phase and 1 x 32A three phase, Hyundai offering connection options for various equipment.

The engine of the Hyundai generator boasts a power of 20HP, ensuring remarkable efficiency. For maintenance, the oil capacity is 1.1 L, while the fuel tank has a capacity of 25 L, allowing for extended autonomy. In line with environmental regulations, this generator complies with the Stage 5 Emissions Regulation. The dimensions of the product are 705 x 540 x 635 mm, offering a good compromise between power and transportability. The Hyundai confirms itself as an excellent choice for those looking for a high-performance and versatile generator.

Ultimately, the Hyundai Inverter Generator 9.3KW Single-Phase - Three-Phase Stage5 establishes itself as an excellent choice for those looking for a powerful, versatile and reliable generator, capable of effectively tackling both the most demanding professional challenges and the highest domestic energy needs, all in compliance with current environmental regulations.

Technical Features Hyundai Generator:





Displacement: 485 cc

Maximum power: 9.3kW

Rated power: 9.0kW

Starting: recoil/electric with button

Voltage/Frequency: 230V/400V/50Hz

Sockets: 1 x 63A single phase, 1 x 32A three phase

Engine type: 1 cylinder 4 stroke

Power (engine): 20HP

Oil capacity: 1.1 L

Fuel capacity: 25 L

Emissions standard: Stage 5

Product dimensions (mm): 705 x 540 x 635

if you are looking for a product with similar characteristics to Hyundai Generator [CLICK HERE](#).
Images and technical data are not binding. Please always consult the technical data sheet issued by the manufacturer. Manel Service does not assume responsibility for any changes made by the manufacturer or any typing errors.

Product features:

Phase: Single phase / Three phase

Fuel: Gasoline

Frequency (Hz): 50

Voltage (V): 230

Sockets configuration: 1 x 63A single phase 1 x 32A three phase

Engine: 1 cylinder 4 stroke

Emissions Regulations: Stage 5

Starting system: tear-off/electric with button

Engine capacity (cm³): 485

Oil capacity (L): 1.1

Tank capacity (L): 25





Product dimensions (mm): 705 x 540 x 635
Weight (Kg): 76
Nominal Power Kw: 9.0
Maximum power (KW): 9.3
protezione da sovratensione: 20